

Supplementary material

Appendix 1.

Table A1. Polymorphic microsatellite loci used in genotyping for the Tibetan azure-winged magpies.

Parameters	Repeat	Annealing	No. of	Ho	He	F	References
	units	temperature	alleles				
Locus name							
Sj052	ctat ₍₈₋₁₇₎	57.0°C	4	0.848	0.724	-0.172	
Sj096	tata ₍₁₄₋₁₉₎	59.0°C	6	0.788	0.759	-0.038	
Sj099	agat ₍₁₇₋₂₂₎	57.0°C	6	0.909	0.811	-0.121	Jaari et al. 2008
Sj100	tcca ₍₁₂₋₂₀₎	59.0°C	6	0.848	0.800	-0.061	
Sj102	tcca ₍₇₋₁₃₎	52.5°C	4	0.545	0.669	0.184	
CmAAAG30	aaag ₍₁₂₋₄₅₎	53.0°C	12	0.879	0.884	-0.028	Williams et al. 2004
CfAAAG38	ttttc ₍₆₋₃₅₎	47.5°C	12	0.875	0.883	0.009	
EU346859	ctat ₍₉₋₁₅₎	50.0°C	6	0.879	0.796	-0.104	Busch <i>et al.</i> 2009
PnuA408	gttt ₍₈₋₁₃₎	55.0°C	4	0.636	0.601	-0.059	Ernest et al. 2008
CoBr24	tttc ₍₁₅₋₁₈₎	59.0°C	4	0.688	0.718	0.043	Schoenle et al. 2007